

# Dialysis Professional

## “Ready, Set, Go” The Steps to Catheter Freedom Week 4: Graft Healing & Readiness Check



- Perform graft healing check at each treatment or when patient reports a change.
  - Reinforce to patient the importance of daily graft checks.
  - Listen to the patient.

### Look




### Listen



### Feel



### Augmentation Test



(Optional)

Were there any abnormal findings during the graft healing and readiness check?

No

Document that there were no abnormal findings.

Yes

Document findings and refer to expert clinician.

Continued...

# Dialysis Professional

## “Ready, Set, Go” The Steps to Catheter Freedom Week 4: Graft Healing & Readiness Check



### Look

The hand of the affected arm **looks the same** as it did before surgery.

The skin over the graft is **all one color** and **looks like the skin around it**.



The arm is **bruised** and/or the hand is **not the normal color**.

There is **redness, swelling, or drainage**.

### Listen

When you listen to the graft with a stethoscope, you hear the bruit along the length of the graft.

The bruit **sounds like a “whoosh,”** or for some, like a **drum beat**.



There is **no sound**, or the bruit is **not as loud** as the last time it was checked.

Sound is **different** than what a normal bruit should sound like.

### Feel



Thrill is a vibration or buzz that can be felt most prominently where the graft joins the artery and where it joins the vein.

**You can feel the thrill.**

**Pulse:** A slight beating that feels like a heartbeat. When you place your fingers lightly on the graft, they move slightly.

You **cannot** feel the thrill or it is **weaker** than the last time it was checked.

**Pulsatile:** The beat is **stronger** than a normal pulse. Fingers placed lightly on the graft **rise and fall with each beat**.

**Continued...**

# Dialysis Professional

## “Ready, Set, Go” The Steps to Catheter Freedom Week 4: Graft Healing & Readiness Check




### Augmentation Test

#### Optional

##### Curved Graft

The arrows show you where to place your fingers. Place your fingers at point A on the graft, feel the pulse, and press down until no blood is flowing through the graft. Keep your finger on the graft, place your other finger at point B to feel the pulse near the connection of the graft to the artery.



##### Straight Graft

Place your fingers on the out-going venous part of the graft, feel the pulse, and press down until no blood is flowing through the graft. Keep your finger on the venous part of the graft and feel for the pulse near the arterial connection to the graft.

Pulse is “strong and bounding” and may cause your finger to rise and fall with each beat.

Pulse does not become more forceful or “strong and bounding.”



[www.esrdncc.org](http://www.esrdncc.org)

This material was prepared by the End Stage Renal Disease (ESRD) National Coordinating Center (NCC) contractor, under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services under CMS contract #: HHSM-500-2013-NW002C; and was adapted by the contractor under CMS contract #: HHSM-500-2016-00007C. The contents presented do not necessarily reflect CMS policy nor imply endorsement by the U.S. Government. Publication Number: FL-ESRD NCC-7N1T02-10032016-09

